

ABSCO marine pumps



1000 West 10th, Okla. City
Oklahoma 73106
Tel. (405) 521-1111
Telex 154000
Fax (405) 521-1111



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch
1/2 inch 1/2 inch 1/2 inch



12V 100W
 12V 100W
 1000rpm/1000rpm



12V 150W
 12V 150W
 1000rpm/1000rpm



12V 200W
 12V 200W
 1000rpm/1000rpm



12V 250W
 12V 250W
 1000rpm/1000rpm



12V 300W
 12V 300W
 1000rpm/1000rpm



12V 350W
 12V 350W
 1000rpm/1000rpm



12V 400W
 12V 400W
 1000rpm/1000rpm



12V 450W
 12V 450W
 1000rpm/1000rpm



12V 500W
 12V 500W
 1000rpm/1000rpm



12V 600W
 12V 600W
 1000rpm/1000rpm



12V 700W
 12V 700W
 1000rpm/1000rpm



12V 800W
 12V 800W
 1000rpm/1000rpm



12V 900W
 12V 900W
 1000rpm/1000rpm



12V 1000W
 12V 1000W
 1000rpm/1000rpm



12V 1100W
 12V 1100W
 1000rpm/1000rpm

JABSCO marine pumps

PUMP TYPE	1.5" (38.1 mm) DISCHARGE				2" (50.8 mm) DISCHARGE				2.5" (63.5 mm) DISCHARGE				3" (76.2 mm) DISCHARGE			
	Flow GPM (LPM)	Head Feet (Meters)	Power HP (kW)	Efficiency %	Flow GPM (LPM)	Head Feet (Meters)	Power HP (kW)	Efficiency %	Flow GPM (LPM)	Head Feet (Meters)	Power HP (kW)	Efficiency %	Flow GPM (LPM)	Head Feet (Meters)	Power HP (kW)	Efficiency %
1.5" (38.1 mm)	100 (3.8)	10 (3.0)	1.5 (1.1)	75	150 (5.7)	10 (3.0)	2.5 (1.8)	75	200 (7.6)	10 (3.0)	3.5 (2.5)	75	300 (11.3)	10 (3.0)	4.5 (3.3)	75
2" (50.8 mm)	150 (5.7)	10 (3.0)	2.5 (1.8)	75	200 (7.6)	10 (3.0)	3.5 (2.5)	75	250 (9.5)	10 (3.0)	4.5 (3.3)	75	300 (11.3)	10 (3.0)	5.5 (4.0)	75
2.5" (63.5 mm)	200 (7.6)	10 (3.0)	3.5 (2.5)	75	250 (9.5)	10 (3.0)	4.5 (3.3)	75	300 (11.3)	10 (3.0)	5.5 (4.0)	75	350 (13.0)	10 (3.0)	6.5 (4.8)	75
3" (76.2 mm)	250 (9.5)	10 (3.0)	4.5 (3.3)	75	300 (11.3)	10 (3.0)	5.5 (4.0)	75	350 (13.0)	10 (3.0)	6.5 (4.8)	75	400 (15.0)	10 (3.0)	7.5 (5.5)	75
3.5" (88.9 mm)	300 (11.3)	10 (3.0)	5.5 (4.0)	75	350 (13.0)	10 (3.0)	6.5 (4.8)	75	400 (15.0)	10 (3.0)	7.5 (5.5)	75	450 (16.7)	10 (3.0)	8.5 (6.2)	75
4" (101.6 mm)	350 (13.0)	10 (3.0)	6.5 (4.8)	75	400 (15.0)	10 (3.0)	7.5 (5.5)	75	450 (16.7)	10 (3.0)	8.5 (6.2)	75	500 (18.8)	10 (3.0)	9.5 (7.0)	75
4.5" (114.3 mm)	400 (15.0)	10 (3.0)	7.5 (5.5)	75	450 (16.7)	10 (3.0)	8.5 (6.2)	75	500 (18.8)	10 (3.0)	9.5 (7.0)	75	550 (20.5)	10 (3.0)	10.5 (7.8)	75
5" (127.0 mm)	450 (16.7)	10 (3.0)	8.5 (6.2)	75	500 (18.8)	10 (3.0)	9.5 (7.0)	75	550 (20.5)	10 (3.0)	10.5 (7.8)	75	600 (22.5)	10 (3.0)	11.5 (8.5)	75
5.5" (139.7 mm)	500 (18.8)	10 (3.0)	9.5 (7.0)	75	550 (20.5)	10 (3.0)	10.5 (7.8)	75	600 (22.5)	10 (3.0)	11.5 (8.5)	75	650 (24.5)	10 (3.0)	12.5 (9.2)	75
6" (152.4 mm)	550 (20.5)	10 (3.0)	10.5 (7.8)	75	600 (22.5)	10 (3.0)	11.5 (8.5)	75	650 (24.5)	10 (3.0)	12.5 (9.2)	75	700 (26.5)	10 (3.0)	13.5 (10.0)	75
6.5" (165.1 mm)	600 (22.5)	10 (3.0)	11.5 (8.5)	75	650 (24.5)	10 (3.0)	12.5 (9.2)	75	700 (26.5)	10 (3.0)	13.5 (10.0)	75	750 (28.5)	10 (3.0)	14.5 (10.8)	75
7" (177.8 mm)	650 (24.5)	10 (3.0)	12.5 (9.2)	75	700 (26.5)	10 (3.0)	13.5 (10.0)	75	750 (28.5)	10 (3.0)	14.5 (10.8)	75	800 (30.5)	10 (3.0)	15.5 (11.5)	75
7.5" (190.5 mm)	700 (26.5)	10 (3.0)	13.5 (10.0)	75	750 (28.5)	10 (3.0)	14.5 (10.8)	75	800 (30.5)	10 (3.0)	15.5 (11.5)	75	850 (32.5)	10 (3.0)	16.5 (12.2)	75
8" (203.2 mm)	750 (28.5)	10 (3.0)	14.5 (10.8)	75	800 (30.5)	10 (3.0)	15.5 (11.5)	75	850 (32.5)	10 (3.0)	16.5 (12.2)	75	900 (34.5)	10 (3.0)	17.5 (13.0)	75
8.5" (215.9 mm)	800 (30.5)	10 (3.0)	15.5 (11.5)	75	850 (32.5)	10 (3.0)	16.5 (12.2)	75	900 (34.5)	10 (3.0)	17.5 (13.0)	75	950 (36.5)	10 (3.0)	18.5 (13.8)	75
9" (228.6 mm)	850 (32.5)	10 (3.0)	16.5 (12.2)	75	900 (34.5)	10 (3.0)	17.5 (13.0)	75	950 (36.5)	10 (3.0)	18.5 (13.8)	75	1000 (38.5)	10 (3.0)	19.5 (14.5)	75
9.5" (241.3 mm)	900 (34.5)	10 (3.0)	17.5 (13.0)	75	950 (36.5)	10 (3.0)	18.5 (13.8)	75	1000 (38.5)	10 (3.0)	19.5 (14.5)	75	1050 (40.5)	10 (3.0)	20.5 (15.2)	75
10" (254.0 mm)	950 (36.5)	10 (3.0)	18.5 (13.8)	75	1000 (38.5)	10 (3.0)	19.5 (14.5)	75	1050 (40.5)	10 (3.0)	20.5 (15.2)	75	1100 (42.5)	10 (3.0)	21.5 (16.0)	75
10.5" (266.7 mm)	1000 (38.5)	10 (3.0)	19.5 (14.5)	75	1050 (40.5)	10 (3.0)	20.5 (15.2)	75	1100 (42.5)	10 (3.0)	21.5 (16.0)	75	1150 (44.5)	10 (3.0)	22.5 (16.8)	75
11" (279.4 mm)	1050 (40.5)	10 (3.0)	20.5 (15.2)	75	1100 (42.5)	10 (3.0)	21.5 (16.0)	75	1150 (44.5)	10 (3.0)	22.5 (16.8)	75	1200 (46.5)	10 (3.0)	23.5 (17.5)	75
11.5" (292.1 mm)	1100 (42.5)	10 (3.0)	21.5 (16.0)	75	1150 (44.5)	10 (3.0)	22.5 (16.8)	75	1200 (46.5)	10 (3.0)	23.5 (17.5)	75	1250 (48.5)	10 (3.0)	24.5 (18.2)	75
12" (304.8 mm)	1150 (44.5)	10 (3.0)	22.5 (16.8)	75	1200 (46.5)	10 (3.0)	23.5 (17.5)	75	1250 (48.5)	10 (3.0)	24.5 (18.2)	75	1300 (50.5)	10 (3.0)	25.5 (19.0)	75
12.5" (317.5 mm)	1200 (46.5)	10 (3.0)	23.5 (17.5)	75	1250 (48.5)	10 (3.0)	24.5 (18.2)	75	1300 (50.5)	10 (3.0)	25.5 (19.0)	75	1350 (52.5)	10 (3.0)	26.5 (19.8)	75
13" (330.2 mm)	1250 (48.5)	10 (3.0)	24.5 (18.2)	75	1300 (50.5)	10 (3.0)	25.5 (19.0)	75	1350 (52.5)	10 (3.0)	26.5 (19.8)	75	1400 (54.5)	10 (3.0)	27.5 (20.5)	75
13.5" (342.9 mm)	1300 (50.5)	10 (3.0)	25.5 (19.0)	75	1350 (52.5)	10 (3.0)	26.5 (19.8)	75	1400 (54.5)	10 (3.0)	27.5 (20.5)	75	1450 (56.5)	10 (3.0)	28.5 (21.2)	75
14" (355.6 mm)	1350 (52.5)	10 (3.0)	26.5 (19.8)	75	1400 (54.5)	10 (3.0)	27.5 (20.5)	75	1450 (56.5)	10 (3.0)	28.5 (21.2)	75	1500 (58.5)	10 (3.0)	29.5 (22.0)	75
14.5" (368.3 mm)	1400 (54.5)	10 (3.0)	27.5 (20.5)	75	1450 (56.5)	10 (3.0)	28.5 (21.2)	75	1500 (58.5)	10 (3.0)	29.5 (22.0)	75	1550 (60.5)	10 (3.0)	30.5 (22.8)	75
15" (381.0 mm)	1450 (56.5)	10 (3.0)	28.5 (21.2)	75	1500 (58.5)	10 (3.0)	29.5 (22.0)	75	1550 (60.5)	10 (3.0)	30.5 (22.8)	75	1600 (62.5)	10 (3.0)	31.5 (23.5)	75
15.5" (393.7 mm)	1500 (58.5)	10 (3.0)	29.5 (22.0)	75	1550 (60.5)	10 (3.0)	30.5 (22.8)	75	1600 (62.5)	10 (3.0)	31.5 (23.5)	75	1650 (64.5)	10 (3.0)	32.5 (24.2)	75
16" (406.4 mm)	1550 (60.5)	10 (3.0)	30.5 (22.8)	75	1600 (62.5)	10 (3.0)	31.5 (23.5)	75	1650 (64.5)	10 (3.0)	32.5 (24.2)	75	1700 (66.5)	10 (3.0)	33.5 (25.0)	75
16.5" (419.1 mm)	1600 (62.5)	10 (3.0)	31.5 (23.5)	75	1650 (64.5)	10 (3.0)	32.5 (24.2)	75	1700 (66.5)	10 (3.0)	33.5 (25.0)	75	1750 (68.5)	10 (3.0)	34.5 (25.8)	75
17" (431.8 mm)	1650 (64.5)	10 (3.0)	32.5 (24.2)	75	1700 (66.5)	10 (3.0)	33.5 (25.0)	75	1750 (68.5)	10 (3.0)	34.5 (25.8)	75	1800 (70.5)	10 (3.0)	35.5 (26.5)	75
17.5" (444.5 mm)	1700 (66.5)	10 (3.0)	33.5 (25.0)	75	1750 (68.5)	10 (3.0)	34.5 (25.8)	75	1800 (70.5)	10 (3.0)	35.5 (26.5)	75	1850 (72.5)	10 (3.0)	36.5 (27.2)	75
18" (457.2 mm)	1750 (68.5)	10 (3.0)	34.5 (25.8)	75	1800 (70.5)	10 (3.0)	35.5 (26.5)	75	1850 (72.5)	10 (3.0)	36.5 (27.2)	75	1900 (74.5)	10 (3.0)	37.5 (28.0)	75
18.5" (469.9 mm)	1800 (70.5)	10 (3.0)	35.5 (26.5)	75	1850 (72.5)	10 (3.0)	36.5 (27.2)	75	1900 (74.5)	10 (3.0)	37.5 (28.0)	75	1950 (76.5)	10 (3.0)	38.5 (28.8)	75
19" (482.6 mm)	1850 (72.5)	10 (3.0)	36.5 (27.2)	75	1900 (74.5)	10 (3.0)	37.5 (28.0)	75	1950 (76.5)	10 (3.0)	38.5 (28.8)	75	2000 (78.5)	10 (3.0)	39.5 (29.5)	75
19.5" (495.3 mm)	1900 (74.5)	10 (3.0)	37.5 (28.0)	75	1950 (76.5)	10 (3.0)	38.5 (28.8)	75	2000 (78.5)	10 (3.0)	39.5 (29.5)	75	2050 (80.5)	10 (3.0)	40.5 (30.2)	75
20" (508.0 mm)	1950 (76.5)	10 (3.0)	38.5 (28.8)	75	2000 (78.5)	10 (3.0)	39.5 (29.5)	75	2050 (80.5)	10 (3.0)	40.5 (30.2)	75	2100 (82.5)	10 (3.0)	41.5 (31.0)	75
20.5" (520.7 mm)	2000 (78.5)	10 (3.0)	39.5 (29.5)	75	2050 (80.5)	10 (3.0)	40.5 (30.2)	75	2100 (82.5)	10 (3.0)	41.5 (31.0)	75	2150 (84.5)	10 (3.0)	42.5 (31.8)	75
21" (533.4 mm)	2050 (80.5)	10 (3.0)	40.5 (30.2)	75	2100 (82.5)	10 (3.0)	41.5 (31.0)	75	2150 (84.5)	10 (3.0)	42.5 (31.8)	75	2200 (86.5)	10 (3.0)	43.5 (32.5)	75
21.5" (546.1 mm)	2100 (82.5)	10 (3.0)	41.5 (31.0)	75	2150 (84.5)	10 (3.0)	42.5 (31.8)	75	2200 (86.5)	10 (3.0)	43.5 (32.5)	75	2250 (88.5)	10 (3.0)	44.5 (33.2)	75
22" (558.8 mm)	2150 (84.5)	10 (3.0)	42.5 (31.8)	75	2200 (86.5)	10 (3.0)	43.5 (32.5)	75	2250 (88.5)	10 (3.0)	44.5 (33.2)	75	2300 (90.5)	10 (3.0)	45.5 (34.0)	75
22.5" (571.5 mm)	2200 (86.5)	10 (3.0)	43.5 (32.5)	75	2250 (88.5)	10 (3.0)	44.5 (33.2)	75	2300 (90.5)	10 (3.0)	45.5 (34.0)	75	2350 (92.5)	10 (3.0)	46.5 (34.8)	75
23" (584.2 mm)	2250 (88.5)	10 (3.0)	44.5 (33.2)	75	2300 (90.5)	10 (3.0)	45.5 (34.0)	75	2350 (92.5)	10 (3.0)	46.5 (34.8)	75	2400 (94.5)	10 (3.0)	47.5 (35.5)	75
23.5" (596.9 mm)	2300 (90.5)	10 (3.0)	45.5 (34.0)	75	2350 (92.5)	10 (3.0)	46.5 (34.8)	75	2400 (94.5)	10 (3.0)	47.5 (35.5)	75	2450 (96.5)	10 (3.0)	48.5 (36.2)	75
24" (609.6 mm)	2350 (92.5)	10 (3.0)	46.5 (34.8)	75	2400 (94.5)	10 (3.0)	47.5 (36.2)	75	2450 (96.5)	10 (3.0)	48.5 (36.2)	75	2500 (98.5)	10 (3.0)	49.5 (37.0)	75
24.5" (622.3 mm)	2400 (94.5)	10 (3.0)	47.5 (36.2)	75	2450 (96.5)	10 (3.0)	48.5 (37.0)	75	2500 (98.5)	10 (3.0)	49.5 (37.0)	75	2550 (100.5)	10 (3.0)	50.5 (37.8)	75
25" (635.0 mm)	2450 (96.5)	10 (3.0)	48.5 (37.0)	75	2500 (98.5)	10 (3.0)	49.5 (37.8)	75	2550 (100.5)	10 (3.0)	50.5 (38.5)	75	2600 (102.5)	10 (3.0)	51.5 (38.5)	75
25.5" (647.7 mm)	2500 (98.5)	10 (3.0)	49.5 (37.8)	75	2550 (100.5)	10 (3.0)	50.5 (38.5)	75	2600 (102.5)	10 (3.0)	51.5 (39.2)	75	2650 (104.5)	10 (3.0)	52.5 (39.2)	75
26" (660.4 mm)	2550 (100.5)	10 (3.0)	50.5 (38.5)	75	2600 (102.5)	10 (3.0)	51.5 (39.2)	75	2650 (104.5)	10 (3.0)	52.5 (40.0)	75	2700 (106.5)	10 (3.0)	53.5 (40.0)	75
26.5" (673.1 mm)	2600 (102.5)	10 (3.0)	51.5 (39.2)	75	2650 (104.5)	10 (3.0)	52.5 (40.0)	75	2700 (106.5)	10 (3.0)	53.5 (40.8)	75	2750 (108.5)	10 (3.0)	54.5 (40.8)	75
27" (685.8 mm)	2650 (104.5)	10 (3.0)	52.5 (40.0)	75	2700 (106.5)	10 (3.0)	53.5 (40.8)	75	2750 (108.5)	10 (3.0)	54.5 (41.5)	75	2800 (110.5)	10 (3.0)	55.5 (41.5)	75
27.5" (698.5 mm)	2700 (106.5)	10 (3.0)	53.5 (40.8)	75	2750 (108.5)	10 (3.0)	54.5 (41.5)	75	2800 (110.5)	10 (3.0)	55.5 (42.2)	75	2850 (112.5)	10 (3.0)	56.5 (42.2)	75
28" (711.2 mm)	2750 (108.5)	10 (3.0)	54.5 (41.5)	75	2800 (110.5)	10 (3.0)	55.5 (42.2)	75	2850 (112.5)	10 (3.0)	56.5 (43.0)	75	2900 (114.5)	10 (3.0)	57.5 (43.0)	75
28.5" (723.9 mm)	2800 (110.5)	10 (3.0)	55.5 (42.2)	75	2850 (112.5)	10 (3.0)	56.5 (43.0)	75	2900 (114.5)	10 (3.0)	57.5 (43.8)	75	2950 (116.5)	10 (3.0)	58.5 (43.8)	75
29" (736.6 mm)	2850 (112.5)	10 (3.0)	56.5 (43.0)	75	2900 (114.5)	10 (3.0)	57.5 (43.8)	75	2950 (116.5)	10 (3.0)	58.5 (44.5)	75	3000 (118.5)	10 (3.0)	59.5 (44.5)	75
29.5" (749.3 mm)	2900 (114.5)	10 (3.0)	57.5 (43.8)	75	2950 (116.5)	10 (3.0)	58.5 (44.5)	75	3000 (118.5)	10 (3.0)	59.5 (45.2)	75	3050 (120.5)	10 (3.0)	60.5 (45.2)	75
30" (762.0 mm)	2950 (116.5)	10 (3.0)	58.5 (44.5)	75	3000 (118.5)	10 (3.0)	59.5 (45.2)	75	3050 (120.5)	10 (3.0)	60.5 (46.0)	75	3100 (122.5)	10 (3.0)	61.5 (46.0)	75
30.5" (774.7 mm)	3000 (118.5)	10														