


MITSUBISHI DIESEL ENGINE

# 5GA3



**MITSUBISHI**  
DIESEL ENGINE CO., LTD.

# High-quality engine heading the age of power & cost efficiency



## Compact, lightweight and powerful enough for testing of applications

- Greater output ..... 2000/2400/3000/3600/4400/5000/5800/6600/7400/8000/9000/10000/12000/14000/16000/18000/20000/22000/24000/26000/28000/30000/32000/34000/36000/38000/40000/42000/44000/46000/48000/50000/52000/54000/56000/58000/60000/62000/64000/66000/68000/70000/72000/74000/76000/78000/80000/82000/84000/86000/88000/90000/92000/94000/96000/98000/100000/102000/104000/106000/108000/110000/112000/114000/116000/118000/120000/122000/124000/126000/128000/130000/132000/134000/136000/138000/140000/142000/144000/146000/148000/150000/152000/154000/156000/158000/160000/162000/164000/166000/168000/170000/172000/174000/176000/178000/180000/182000/184000/186000/188000/190000/192000/194000/196000/198000/200000/202000/204000/206000/208000/210000/212000/214000/216000/218000/220000/222000/224000/226000/228000/230000/232000/234000/236000/238000/240000/242000/244000/246000/248000/250000/252000/254000/256000/258000/260000/262000/264000/266000/268000/270000/272000/274000/276000/278000/280000/282000/284000/286000/288000/290000/292000/294000/296000/298000/300000/302000/304000/306000/308000/310000/312000/314000/316000/318000/320000/322000/324000/326000/328000/330000/332000/334000/336000/338000/340000/342000/344000/346000/348000/350000/352000/354000/356000/358000/360000/362000/364000/366000/368000/370000/372000/374000/376000/378000/380000/382000/384000/386000/388000/390000/392000/394000/396000/398000/400000/402000/404000/406000/408000/410000/412000/414000/416000/418000/420000/422000/424000/426000/428000/430000/432000/434000/436000/438000/440000/442000/444000/446000/448000/450000/452000/454000/456000/458000/460000/462000/464000/466000/468000/470000/472000/474000/476000/478000/480000/482000/484000/486000/488000/490000/492000/494000/496000/498000/500000/502000/504000/506000/508000/510000/512000/514000/516000/518000/520000/522000/524000/526000/528000/530000/532000/534000/536000/538000/540000/542000/544000/546000/548000/550000/552000/554000/556000/558000/560000/562000/564000/566000/568000/570000/572000/574000/576000/578000/580000/582000/584000/586000/588000/590000/592000/594000/596000/598000/600000/602000/604000/606000/608000/610000/612000/614000/616000/618000/620000/622000/624000/626000/628000/630000/632000/634000/636000/638000/640000/642000/644000/646000/648000/650000/652000/654000/656000/658000/660000/662000/664000/666000/668000/670000/672000/674000/676000/678000/680000/682000/684000/686000/688000/690000/692000/694000/696000/698000/700000/702000/704000/706000/708000/710000/712000/714000/716000/718000/720000/722000/724000/726000/728000/730000/732000/734000/736000/738000/740000/742000/744000/746000/748000/750000/752000/754000/756000/758000/760000/762000/764000/766000/768000/770000/772000/774000/776000/778000/780000/782000/784000/786000/788000/790000/792000/794000/796000/798000/800000/802000/804000/806000/808000/810000/812000/814000/816000/818000/820000/822000/824000/826000/828000/830000/832000/834000/836000/838000/840000/842000/844000/846000/848000/850000/852000/854000/856000/858000/860000/862000/864000/866000/868000/870000/872000/874000/876000/878000/880000/882000/884000/886000/888000/890000/892000/894000/896000/898000/900000/902000/904000/906000/908000/910000/912000/914000/916000/918000/920000/922000/924000/926000/928000/930000/932000/934000/936000/938000/940000/942000/944000/946000/948000/950000/952000/954000/956000/958000/960000/962000/964000/966000/968000/970000/972000/974000/976000/978000/980000/982000/984000/986000/988000/990000/992000/994000/996000/998000/1000000
  - Horsepower ..... 1500
  - Maximum fuel input ..... 100/120/150/180/220/250/300/350/400/450/500/550/600/650/700/750/800/850/900/950/1000/1050/1100/1150/1200/1250/1300/1350/1400/1450/1500/1550/1600/1650/1700/1750/1800/1850/1900/1950/2000/2050/2100/2150/2200/2250/2300/2350/2400/2450/2500/2550/2600/2650/2700/2750/2800/2850/2900/2950/3000/3050/3100/3150/3200/3250/3300/3350/3400/3450/3500/3550/3600/3650/3700/3750/3800/3850/3900/3950/4000/4050/4100/4150/4200/4250/4300/4350/4400/4450/4500/4550/4600/4650/4700/4750/4800/4850/4900/4950/5000/5050/5100/5150/5200/5250/5300/5350/5400/5450/5500/5550/5600/5650/5700/5750/5800/5850/5900/5950/6000/6050/6100/6150/6200/6250/6300/6350/6400/6450/6500/6550/6600/6650/6700/6750/6800/6850/6900/6950/7000/7050/7100/7150/7200/7250/7300/7350/7400/7450/7500/7550/7600/7650/7700/7750/7800/7850/7900/7950/8000/8050/8100/8150/8200/8250/8300/8350/8400/8450/8500/8550/8600/8650/8700/8750/8800/8850/8900/8950/9000/9050/9100/9150/9200/9250/9300/9350/9400/9450/9500/9550/9600/9650/9700/9750/9800/9850/9900/9950/10000
  - Dimensions ..... 3.0m/3.5m/4.0m/4.5m/5.0m/5.5m/6.0m/6.5m/7.0m/7.5m/8.0m/8.5m/9.0m/9.5m/10.0m/10.5m/11.0m/11.5m/12.0m/12.5m/13.0m/13.5m/14.0m/14.5m/15.0m/15.5m/16.0m/16.5m/17.0m/17.5m/18.0m/18.5m/19.0m/19.5m/20.0m/20.5m/21.0m/21.5m/22.0m/22.5m/23.0m/23.5m/24.0m/24.5m/25.0m/25.5m/26.0m/26.5m/27.0m/27.5m/28.0m/28.5m/29.0m/29.5m/30.0m/30.5m/31.0m/31.5m/32.0m/32.5m/33.0m/33.5m/34.0m/34.5m/35.0m/35.5m/36.0m/36.5m/37.0m/37.5m/38.0m/38.5m/39.0m/39.5m/40.0m/40.5m/41.0m/41.5m/42.0m/42.5m/43.0m/43.5m/44.0m/44.5m/45.0m/45.5m/46.0m/46.5m/47.0m/47.5m/48.0m/48.5m/49.0m/49.5m/50.0m/50.5m/51.0m/51.5m/52.0m/52.5m/53.0m/53.5m/54.0m/54.5m/55.0m/55.5m/56.0m/56.5m/57.0m/57.5m/58.0m/58.5m/59.0m/59.5m/60.0m/60.5m/61.0m/61.5m/62.0m/62.5m/63.0m/63.5m/64.0m/64.5m/65.0m/65.5m/66.0m/66.5m/67.0m/67.5m/68.0m/68.5m/69.0m/69.5m/70.0m/70.5m/71.0m/71.5m/72.0m/72.5m/73.0m/73.5m/74.0m/74.5m/75.0m/75.5m/76.0m/76.5m/77.0m/77.5m/78.0m/78.5m/79.0m/79.5m/80.0m/80.5m/81.0m/81.5m/82.0m/82.5m/83.0m/83.5m/84.0m/84.5m/85.0m/85.5m/86.0m/86.5m/87.0m/87.5m/88.0m/88.5m/89.0m/89.5m/90.0m/90.5m/91.0m/91.5m/92.0m/92.5m/93.0m/93.5m/94.0m/94.5m/95.0m/95.5m/96.0m/96.5m/97.0m/97.5m/98.0m/98.5m/99.0m/99.5m/100.0m
- Compact design enables installation in all vehicle engine compartments, with output of 1500. The powerstroke engine is only.

## Cost-efficient economic type

- Fuel use at constant rate ..... 100/120/150/180/220/250/300/350/400/450/500/550/600/650/700/750/800/850/900/950/1000/1050/1100/1150/1200/1250/1300/1350/1400/1450/1500/1550/1600/1650/1700/1750/1800/1850/1900/1950/2000/2050/2100/2150/2200/2250/2300/2350/2400/2450/2500/2550/2600/2650/2700/2750/2800/2850/2900/2950/3000/3050/3100/3150/3200/3250/3300/3350/3400/3450/3500/3550/3600/3650/3700/3750/3800/3850/3900/3950/4000/4050/4100/4150/4200/4250/4300/4350/4400/4450/4500/4550/4600/4650/4700/4750/4800/4850/4900/4950/5000/5050/5100/5150/5200/5250/5300/5350/5400/5450/5500/5550/5600/5650/5700/5750/5800/5850/5900/5950/6000/6050/6100/6150/6200/6250/6300/6350/6400/6450/6500/6550/6600/6650/6700/6750/6800/6850/6900/6950/7000/7050/7100/7150/7200/7250/7300/7350/7400/7450/7500/7550/7600/7650/7700/7750/7800/7850/7900/7950/8000/8050/8100/8150/8200/8250/8300/8350/8400/8450/8500/8550/8600/8650/8700/8750/8800/8850/8900/8950/9000/9050/9100/9150/9200/9250/9300/9350/9400/9450/9500/9550/9600/9650/9700/9750/9800/9850/9900/9950/10000

The economical design allows installation in all vehicle engine compartments, with output of 1500. The powerstroke engine is only.

## Easy maintenance

Simple maintenance and low operating costs make this engine a cost-efficient investment for the operator.

## Tough & Reliable

A proven manufacturing structure is emblematic proof of the powerstroke's inherent strength. This engine is built to last, with a proven design that has been tested for over 20 years in the most demanding conditions.

## Quiet, with cleaner emissions

Engine noise and vibration are reduced by the use of sound-dampening materials and by the use of sound-dampening materials. The engine is built to last, with a proven design that has been tested for over 20 years in the most demanding conditions.

## Wide variations for diversified needs

A wide range of engine configurations is available for all types of applications. The engine is built to last, with a proven design that has been tested for over 20 years in the most demanding conditions.

## SGA3 INFORMATION

NAME	RESULTS	
	RESULTS	RESULTS
Year	1998-1999, 2000-2001, 2002-2003, 2004-2005	
College program	Bachelor's	
Major(s) + minor	BA - History	
Year graduated	2002	
College(s) attended	East Carolina	
Employer(s) title	N/A	
Employer name	N/A	
Address	10000 University Blvd, East Point, GA	
Telephone (A, H, W, C)	508-438-1234	
City/State	Atlanta, GA	
Year of	2002 Fall to 2006 Fall, 2007	
Year(s) completed	2002 Spring	
Reason	Relocation per contract or employment contract	
Are you currently employed?	Yes/No	
Employing agency	N/A	
Job title	N/A	
Employer name	N/A	
Employing agency	N/A	
Address	N/A	
Telephone	N/A	
Year(s)	2002 to 2006	
Employing agency	N/A	

Public Schools in the State for information only. Public Schools in the State are in the State of Georgia. Public Schools in the State are in the State of Georgia. Public Schools in the State are in the State of Georgia. Public Schools in the State are in the State of Georgia.

Information may change without notice.

## SGA3 APPLICATION

1000 University Blvd  
 East Point, GA 30404

NAME	RESULTS						RESULTS		
	1998-1999			2000-2001			2002-2003		
	Year	Score	Rank	Year	Score	Rank	Year	Score	Rank
Candidate	2002	100	1	2003	100	1	2004	100	1
	2005	100	1	2006	100	1	2007	100	1
	2008	100	1	2009	100	1	2010	100	1
	2011	100	1	2012	100	1	2013	100	1
	2014	100	1	2015	100	1	2016	100	1
	2017	100	1	2018	100	1	2019	100	1
Candidate	2002	100	1	2003	100	1	2004	100	1
	2005	100	1	2006	100	1	2007	100	1
	2008	100	1	2009	100	1	2010	100	1
	2011	100	1	2012	100	1	2013	100	1
	2014	100	1	2015	100	1	2016	100	1
	2017	100	1	2018	100	1	2019	100	1

Note: 1. This is a sample application with fictitious data. Information may change without notice. 2. This is a sample application with fictitious data. Information may change without notice. 3. This is a sample application with fictitious data. Information may change without notice. 4. This is a sample application with fictitious data. Information may change without notice. 5. This is a sample application with fictitious data. Information may change without notice.

